

Yoav I. Henis: List of Publications

1. **Henis, Y.I.**, and Levitzki, A. (1976) An analysis on the slope of Scatchard plots. *Eur. J. Biochem.* 71, 529-532.
2. **Henis, Y.I.**, and Levitzki, A. (1977) The role of the nicotinamide and the adenine subsites in the negative cooperativity of coenzyme binding to glyceraldehyde-3-phosphate dehydrogenase. *J. Mol. Biol.* 117, 699-716.
3. **Henis, Y.I.**, Levitzki, A., and Gafni, A. (1979) Evidence for ligand-induced conformational changes in rabbit muscle glyceraldehyde-3-phosphate dehydrogenase. *Eur. J. Biochem.* 97, 519-528.
4. **Henis, Y.I.**, and Levitzki, A. (1979) Ligand competition curves as a diagnostic tool for delineating the nature of site-site interactions: Theory. *Eur. J. Biochem.* 102, 449-465.
5. **Henis, Y.I.**, and Levitzki, A. (1980) Mechanism of negative cooperativity in glyceraldehyde-3-phosphate dehydrogenase deduced from ligand competition experiments. *Proc. Natl. Acad. Sci. USA* 77, 5055-5059.
6. **Henis, Y.I.**, and Levitzki, A. (1980) The sequential nature of the negative cooperativity in rabbit-muscle glyceraldehyde-3-phosphate dehydrogenase. *Eur. J. Biochem.* 112, 59-73.
7. **Henis, Y.I.**, and Levitzki, A. (1981) The mechanism of negative cooperativity in rabbit-muscle glyceraldehyde-3-phosphate dehydrogenase. *Ann. NY Acad. Sci.* 366, 217-236.
8. **Henis, Y.I.**, and Elson, E.L. (1981) Inhibition of the mobility of mouse lymphocyte surface immunoglobulins by locally bound concanavalin A. *Proc. Natl. Acad. Sci. USA* 78, 1072-1076.
9. **Henis, Y.I.**, and Elson, E.L. (1981) Differences in the response of several cell types to inhibition of surface receptor mobility by local concanavalin A binding. *Exp. Cell. Res.* 136, 189-201.
10. **Henis, Y.I.**, Rimon, G., and Felder, S. (1982) Lateral mobility of phospholipids in turkey erythrocytes: Implications for adenylate cyclase activation. *J. Biol. Chem.* 257, 1407-1411.
11. **Henis, Y.I.**, Hekman, M., Elson, E.L., and Helmreich, E.J.M. (1982) Lateral motion of β -receptors in membranes of cultured liver cells. *Proc. Natl. Acad. Sci. USA* 79:2907-2911.
12. **Henis, Y.I.**, Galron, R., Avissar, S., and Sokolovsky, M. (1982) Interactions between antagonist-occupied muscarinic binding sites in rat adenohypophysis. *FEBS Lett.* 140, 173-176.
13. **Henis, Y.I.**, and Jenkins, T.M. (1983) Detection of Sendai virus fusion with human erythrocytes by fluorescence photobleaching recovery. *FEBS Lett.* 151, 34-137.
14. **Henis, Y.I.**, and Gutman, O. (1983) Lateral diffusion and patch formation of H-2K^k antigens on mouse spleen lymphocytes. *Biochim. Biophys. Acta* 762, 281-288.

15. **Henis, Y.I.**, and Zisapel, N. (1983) F-actin in cultured rat-brain neurons: Developmental aspects. In: "Biological Structures and Coupled Flows" (eds. Oplatka, A., Balaban, M.) pp. 381-385. Academic Press, New York.
16. **Henis, Y.I.**, and Sokolovsky, M. (1983) Muscarinic antagonists induce different receptor conformations in rat adenohypophysis. *Mol. Pharmacol.* 24, 357-365.
17. **Henis, Y.I.** (1984) Mobility modulation by local concanavalin A binding: Selectivity toward different membrane proteins. *J. Biol. Chem.* 259, 1515-1519.
18. Elson, E.L., and **Henis, Y.I.** (1984) Regulation of the lateral mobility of cell surface proteins by interactions with the cytoskeleton. In: "Biochemical and Biophysical Studies of Proteins and Nucleic Acids" (eds. Lo, T-B., Liu, T-Y., Li, C-H.), pp. 69-82. Elsevier, Amsterdam.
19. Hekman, M., Schiltz, B., **Henis, Y.I.**, Elson, E.L., and Helmreich, E.J.M. (1984) Mobility, localization and heterogeneity of β -adrenergic receptors. *Adv. Cyclic Nucleotide Protein Phosphorylation Res.* 17, 47-60.
20. Elson, E.L., Pasternak, C., Young, J.I., Daily, B., Petersen, N.O., **Henis, Y.I.**, and McConaughey, B. (1984) Modulation of lymphocyte deformability by concanavalin A. In: "Information and Energy Transduction in Biological Membranes" (eds. Bolis, C.L., Helmreich, E.J.M., Passow, H.), pp. 365-376. Allan R. Liss, New York.
21. Moscona-Amir, E., Egozi, Y., **Henis, Y.I.**, and Sokolovsky, M. (1985) Effect of Ca^{++} on the binding characteristics of muscarinic receptors in rat adenohypophysis - variation during the estrous cycle. *Neuroendocrinology* 40, 483-492.
22. Rimon, G., Meyerstein, N., and **Henis, Y.I.** (1984) Lateral mobility of phospholipids in the external and internal leaflets of normal and hereditary spherocytic human erythrocytes. *Biochim. Biophys. Acta* 775, 283-290.
23. Aviram, I., and **Henis, Y.I.** (1984) Activation of human neutrophil NADPH oxidase and lateral mobility of membrane proteins: A study with crosslinkers. *Biochim. Biophys. Acta* 805, 227-231.
24. Shechter, Y., and **Henis, Y.I.** (1984) Cis-unsaturated fatty acids induce both lipogenesis and calcium binding in adipocytes. *Biochim. Biophys. Acta* 805, 89-96.
25. Katchalski-Katzir, E., Rishpon, J., Sahar, E., Lamed, R., and **Henis, Y.I.** (1985) Enzyme diffusion and action on soluble and insoluble substrate biopolymers. *Biopolymers* 24, 257-277.
26. Yechiel, E., Barenholz, Y., and **Henis, Y.I.** (1985) Lateral mobility and organization of phospholipids and proteins in rat myocyte membranes: Effects of aging and manipulation of lipid composition. *J. Biol. Chem.* 260, 9132-9136.
27. Schreiber, G., **Henis, Y.I.**, and Sokolovsky, M. (1985) Analysis of ligand binding to receptors by competition kinetics: Application to muscarinic antagonists in rat brain cortex. *J. Biol. Chem.* 260, 8789-8794.

28. Schreiber, G., **Henis, Y.I.**, and Sokolovsky, M. (1985) Rate constants of agonist binding to muscarinic receptors in rat brain medulla: Evaluation by competition kinetics. *J. Biol. Chem.* 260, 8795-8803.
29. Cohen-Armon, M., Kloog, Y., **Henis, Y.I.**, and Sokolovsky, M. (1985) Interactions of quinidine and lidocaine with rat brain and heart muscarinic receptors. *Biochem. Biophys. Res. Commun.* 127, 326-332.
30. Cohen-Armon, M., Kloog, Y., **Henis, Y.I.**, and Sokolovsky, M. (1985) Batrachotoxin changes the properties of the muscarinic receptor in rat brain and heart: Possible interactions between muscarinic receptors and sodium channels. *Proc. Natl. Acad. Sci. USA* 82, 3524-3527.
31. **Henis, Y.I.**, Gutman, O., and Loyter, A. (1985) Sendai virus envelope glycoproteins become laterally mobile on the surface of human erythrocytes following fusion. *Exp. Cell. Res.* 160, 514-526.
32. Aroeti, B., and **Henis, Y.I.** (1986) The lateral mobility of cell membrane components is not altered following cell fusion induced by Sendai virus. *Exp. Cell. Res.* 162, 243-254.
33. Sokolovsky, M., Cohen-Armon, M., Egozi, Y., Gurwitz, D., **Henis, Y.I.**, Kloog, Y., Moscona-Amir, E., and Schreiber, G. (1986) Modulation of muscarinic receptors and their interactions. *TIPS* 7, 39-43.
34. Chejanovsky, N., **Henis, Y.I.**, and Loyter, A. (1986) Fusion of fluorescently labeled Sendai virus envelopes with living cultured cells as monitored by fluorescence dequenching. *Exp. Cell. Res.* 164, 353-365.
35. Yechiel, E., **Henis, Y.I.**, and Barenholz, Y. (1986) Aging of rat heart fibroblasts: Relationship between lipid composition, membrane organization and biological properties. *Biochim. Biophys. Acta* 859, 95-104.
36. Aroeti, B., and **Henis, Y.I.** (1986) Fluorescence photobleaching recovery as a method to quantitate viral envelope-cell fusion: Application to study fusion of Sendai virus envelopes with cells. *Biochemistry* 25, 4588-4596.
37. Moscona-Amir, E., **Henis, Y.I.**, Yechiel, E., Barenholz, Y., and Sokolovsky, M. (1986) Role of lipids in age-related changes in the properties of muscarinic receptors in cultured rat heart myocytes. *Biochemistry* 25, 8118-8124.
38. Aroeti, B., and **Henis, Y.I.** (1987) Fusion of native Sendai virions with human erythrocytes: Quantitation by fluorescence photobleaching recovery. *Exp. Cell. Res.* 170, 322-337.
39. Schreiber, G., **Henis, Y.I.**, and Sokolovsky, M. (1987) Application of competition kinetics to investigate rat brain muscarinic receptors. *Isr. J. Med. Sci.* 23, 36-43.
40. **Henis, Y.I.**, and Gutman, O. (1987) Lateral mobility of Sendai virus glycoproteins on human erythrocytes: Correlation with cell-cell fusion. *Biochemistry* 26, 812-819.

41. Gurwitz, D., Egozi, Y., **Henis, Y.I.**, Kloog, Y., and Sokolovsky, M. (1987) Agonist and antagonist binding to rat brain muscarinic receptors: Influence of aging. *Neurobiol. Aging* **8**, 115-122.
42. **Henis, Y.I.**, Moscona-Amir, E., and Sokolovsky, M. (1987) Properties of rat heart muscarinic receptors and their interactions with G-proteins. In: "Muscarinic Cholinergic Mechanisms" (eds. Cohen, S., Sokolovsky, M.), pp. 171-181. Freund Publishing House, London.
43. Sokolovsky, M., Moscona-Amir, E., Cohen-Armon, M., Garty, H., and **Henis, Y.I.** (1987) Modulation of muscarinic receptors by interactions with G-protein(s) and Na⁺ channels. In: "Pharmacology" (eds. Rand, M.J., Raper, C.), pp. 77-82. Elsevier Science Publishers B.V.
44. **Henis, Y.I.**, Yaron, T., Lamed, R., Rishpon, J., Sahar, E., and Katchalski-Katzir, E. (1988) Mobility of enzymes on insoluble substrates: The β-amylase-starch gel system. *Biopolymers* **27**, 123-138.
45. **Henis, Y.I.**, and Gutman, O. (1988) Interaction of Sendai virions with resealed human erythrocyte ghosts: Lateral mobility of viral glycoproteins in the cell membrane following fusion. *FEBS Lett.* **228**, 281-284.
46. Moscona-Amir, E., **Henis, Y.I.**, and Sokolovsky, M. (1988) Guanosine 5'-triphosphate binding protein (Gi) and two additional pertussis toxin substrates associated with muscarinic receptors in rat heart myocytes: Characterization and age dependency. *Biochemistry* **27**, 4985-4991.
47. Aroeti, B., and **Henis, Y.I.** (1988) Effects of fusion temperature on the lateral mobility of Sendai virus glycoproteins in erythrocyte membranes and on cell fusion indicate that glycoprotein mobility is required for cell fusion. *Biochemistry* **27**, 5654-5661.
48. Katzir, Z., Gutman, O., and **Henis, Y.I.** (1989) Application of fluorescence photobleaching recovery to assess complex formation between the two envelope proteins of Sendai virus in the membranes of fused human erythrocytes. *Biochemistry* **28**, 6400-6405.
49. **Henis, Y.I.**, and Levitzki, A. (1989) Mammalian glyceraldehyde-3-phosphate dehydrogenase and its use to elucidate molecular mechanisms of cooperativity. In: "Allosteric Enzymes" (ed. Herve, G.), pp. 153-174. CRC Press Inc., Boca Raton, Florida.
50. Moscona-Amir, E., **Henis, Y.I.**, and Sokolovsky, M. (1989) Aging of rat heart myocytes disrupts muscarinic receptor coupling that leads to inhibition of cAMP accumulation and alters the pathway of muscarinic-stimulated phosphoinositide hydrolysis. *Biochemistry* **28**, 7130-7137.
51. **Henis, Y.I.** (1989) Lateral mobility measurements of cell surface components: Applications for molecular pharmacology. *Trends Pharmacol. Sci.* **10**, 95-98.

52. **Henis, Y.I.**, Herman-Barhom, Y., Aroeti, B., and Gutman, O. (1989) Lateral mobility of both envelope proteins (F and HN) of Sendai virus in the cell membrane is essential for cell-cell fusion. *J. Biol. Chem.* 264, 17119-17125.
53. **Henis, Y.I.**, Kloog, Y., and Sokolovsky, M. (1989) Allosteric interactions of muscarinic receptors and their regulation by other membrane proteins. In: "The Muscarinic Receptors" (ed. Brown, J.H.), pp. 377-418.
54. Aroeti, B., Jovin, T.M., and **Henis, Y.I.** (1990) Rotational mobility of Sendai virus glycoproteins in membranes of fused human erythrocytes and in the envelopes of cell-bound virions. *Biochemistry* 99, 9119-9125.
55. **Henis, Y.I.**, Katzir, Z., Shia, M.A., and Lodish, H.F. (1990) Oligomeric structure of the human asialoglycoprotein receptor: Nature and stoichiometry of mutual complexes containing H1 and H2 polypeptides assessed by fluorescence photobleaching recovery. *J. Cell Biol.* 111, 1409-1418.
56. Cohen, E., Ophir, I., **Henis, Y.I.**, Bacher, A., and Ben-Shaul, Y. (1990) Effect of temperature on the assembly of tight junctions and on the mobility of lipids in the membranes of HT29 cells. *J. Cell Sci.* 97, 119-125.
57. Aroeti, B., and **Henis, Y.I.** (1991) Accumulation of Sendai virus glycoproteins in cell-cell contact regions and its role in cell fusion. *J. Biol. Chem.* 266, 15845-15849.
58. Fire, E., Zwart, D.E., Roth, M.G., and **Henis, Y.I.** (1991) Evidence from lateral mobility studies for dynamic interactions of a mutant influenza hemagglutinin with coated pits. *J. Cell Biol.* 115, 1585-1594.
59. Roth, M.G., **Henis, Y.I.**, Ktistakis, N.T., Shia, S-P., Brewer, C.B., Lazarovits, J., Fire, E., Thomas, D., and Zwart, D.E. (1993) Sorting of membrane proteins in the endocytic and exocytic pathways. In: "Cell Biology and Biotechnology" (eds. Oka, M.S. and Rupp, R.G.), pp. 137-156, Springer-Verlag, New York.
60. Aroeti, B., Gutman, O., and **Henis, Y.I.** (1992) Transient alterations in the lateral mobility of erythrocyte membrane components during Sendai virus-mediated fusion. *J. Biol. Chem.* 267, 13272-13277.
61. Gutman, O., Danieli, T., White, J.M. and **Henis, Y.I.** (1993) Effects of exposure to low pH on the lateral mobility of influenza hemagglutinin expressed at the cell surface: Correlation between mobility inhibition and inactivation. *Biochemistry* 32, 101-106.
62. **Henis, Y.I.** (1993) Lateral and rotational diffusion in biological membranes. In: "Biomembranes: Physical Aspects" (ed. Shinitzky, M.), Vol. 1. VCH Publishers, Weinheim-New York, pp. 279-340.
63. Kemble, G.W., **Henis, Y.I.**, and White, J.M. (1993) GPI- and transmembrane-anchored influenza hemagglutinin differ in structure and receptor binding activity. *J. Cell Biol.* 122, 1253-1266.

64. **Henis, Y.I.** (1993) Fluorescence photobleaching recovery to probe virus-cell fusion and virally-mediated cell fusion. *Methods Enzymol.* 220, 350-362.
65. Moustakas, A., Lin, H.Y., **Henis, Y.I.**, Plamondon, J., O'Connor-McCourt, M.D., and Lodish, H.F. (1993) The transforming growth factor β receptors types I, II, and III form hetero-oligomeric complexes in the presence of ligand. *J. Biol. Chem.* 268, 22215-22218.
66. **Henis, Y.I.** (1993) Role of viral glycoprotein mobility in Sendai virus-mediated cell fusion. In: "Viral Fusion Mechanisms" (ed. Bentz, J.), CRC Press Inc., Boca Raton, Florida, pp. 335-361.
67. **Henis, Y.I.**, Moustakas, A., Lin, H.Y., and Lodish, H.F. (1994) The types II and III transforming growth factor- β receptors form homo-oligomers. *J. Cell Biol.* 126, 139-154.
68. Katzir, Z., Nardi, N., Geffen, I., Fuhrer, C., and **Henis, Y.I.** (1994) Dynamic interactions of the asialoglycoprotein receptor subunits with coated pits: Enhanced interactions of H2 following association with H1. *J. Biol. Chem.* 269, 21568-21575.
69. Chun, M., Lin, H.Y., **Henis, Y.I.**, and Lodish, H.F. (1995) Endothelin-induced endocytosis of cell surface ET_A receptors: Endothelin remains intact and bound to the ET_A receptor. *J. Biol. Chem.* 270, 10855-10860.
70. Gilboa, L., Ben-Levy, R., Yarden, Y., and **Henis, Y.I.** (1995) Roles for a cytoplasmic tyrosine and tyrosine kinase activity in the interactions of Neu receptors with coated pits. *J. Biol. Chem.* 270, 7061-7067.
71. Lin, H.Y., Moustakas, A., Knaus, P., Wells, R.G., **Henis, Y.I.**, and Lodish, H.F. (1995) The soluble exoplasmic domain of the type II transforming growth factor (TGF)- β receptor: A heterogeneously glycosylated protein with high affinity and selectivity. *J. Biol. Chem.* 270, 2747-2754.
72. Fire, E., Gutman, O., Roth, M.G., and **Henis, Y.I.** (1995) Dynamic or stable interactions of influenza hemagglutinin mutants with coated pits: Dependence on the internalization signal but not on aggregation. *J. Biol. Chem.* 270, 21075-21082.
73. Zwart, D.E., Brewer, C.B., Lazarovits, J., **Henis, Y.I.**, and Roth, M.G. (1996) Degradation of mutant influenza virus hemagglutinins is influenced by cytoplasmic sequences independent of internalization signals. *J. Biol. Chem.* 271, 907-917.
74. Danieli, T., Pelletier, S.L., **Henis, Y.I.**, and White, J.M. (1996) Membrane fusion mediated by the influenza virus hemagglutinin requires the concerted action of at least three hemagglutinin trimers. *J. Cell Biol.* 133, 559-569.
75. Lazarovits, J., Naim, H.Y., Rodriguez, A.C., Wang, R-H., Fire, E., Bird, C., **Henis, Y.I.**, and Roth, M.G. (1996) Endocytosis of chimeric influenza virus hemagglutinin proteins that lack a cytoplasmic recognition feature for coated pits. *J. Cell Biol.* 134, 339-348.
76. White, J.M., Danieli, T., **Henis, Y.I.**, Melikyan, G., and Cohen, F.S. (1996) Membrane fusion by the influenza hemagglutinin: The fusion pore. *Soc. Gen. Physiol. Ser.* 51, 223-229.

77. Fire, E., Brown, C.M., Roth, M.G., **Henis, Y.I.**, and Petersen, N.O. (1997) Partitioning of proteins into plasma membrane microdomains: Clustering of mutant influenza hemagglutinins into coated pits depends on the strength of the internalization signal. *J. Biol. Chem.* 272, 29538-29545.
78. Gilboa, L., Wells, R.G., Lodish, H.F., and **Henis, Y.I.** (1998) Oligomeric structure of type I and type II TGF- β receptors: Homo-dimers form in the ER and persist at the plasma membrane. *J. Cell Biol.* 140, 767-777.
79. Niv, H., Gutman, O., **Henis, Y.I.** and Kloog, Y. (1999) Membrane interactions of a constitutively active GFP-Ki-Ras 4B and their role in signaling. *J. Biol. Chem.* 274, 1606-1613.
80. Wells, R.G., Gilboa, L., Sun, Y., Liu, X., **Henis, Y.I.**, and Lodish, H.F. (1999) TGF- β induces formation of a DTT-resistant type I/type II receptor complex in live cells. *J. Biol. Chem.* 274, 5716-5722.
81. Constantinescu, S.N., Liu, X., Beyer, W., Fallon, A., Shekar, S., **Henis, Y.I.**, Smith, S.O., and Lodish, H.F. (1999) Activation of the erythropoietin receptor by the gp55-P viral envelope protein is determined by a single amino acid in its transmembrane domain. *EMBO J.* 18, 3334-3347.
82. Brown, C.M., Roth, M.G., Henis, Y.I., and Petersen, N.O. (1999) An internalization-competent influenza hemagglutinin mutant causes the redistribution of AP-2 to existing coated pits and is colocalized with AP-2 in clathrin-free clusters. *Biochemistry* 38, 15166-15173.
83. Gilboa, L., Nohe, A., Geissendorfer, T., Sebald, W., **Henis, Y.I.**, and Knaus, P. (2000) Bone morphogenetic protein receptor complexes on the surface of live cells: A new oligomerization mode for Serine/Threonine kinase receptors. *Mol. Biol. Cell* 11, 1023-1035.
84. Xiao, Z., Liu, X., **Henis, Y.I.**, and Lodish, H.F. (2000) A distinct nuclear localization signal in the N-terminus of Smad 3 determines its ligand-induced nuclear translocation. *Proc. Natl. Acad. Sci. USA* 97, 7853-7858.
85. Liu, X., Sun, Y., Ehrlich, M., Lu, T., Kloog, Y., Weinberg, R.A., Lodish, H.F., and **Henis, Y.I.** (2000) Disruption of TGF- β growth inhibition by oncogenic Ras is linked to p27 mislocalization. *Oncogene* 19, 5926-5935.
86. Constantinescu, S.N., Keren, T., Socolovsky, M., Nam, H-S., **Henis, Y.I.** and Lodish, H.F. (2001) Ligand-independent oligomerization of cell-surface erythropoietin receptor is mediated by the transmembrane domain. *Proc. Natl. Acad. Sci. USA* 98, 4379-4384.
87. Ehrlich, M., Shmuely, A., and **Henis, Y.I.** (2001) A single internalization signal from the di-leucine family is critical for constitutive endocytosis of the type II TGF- β receptor. *J. Cell Sci.* 114, 1777-1786.

88. Keren, T., Roth, M.G. and **Henis, Y.I.** (2001) Internalization-competent influenza hemagglutinin mutants form complexes with clathrin-deficient multivalent AP-2 oligomers in live cells. *J. Biol. Chem.* 276, 28356-28363.
89. Nohe, A., Hassel, S., Ehrlich, M., Neubauer, F., Sebald, W., **Henis, Y.I.** and Knaus, P. (2002) The mode of bone morphogenetic protein (BMP) receptor oligomerization determines different BMP-2 signaling pathways. *J. Biol. Chem.* 277, 5330-5338.
90. Niv, H., Gutman, O., Kloog, Y. and **Henis, Y.I.** (2002) Activated K-Ras and H-Ras display different interactions with saturable nonraft sites at the surface of live cells. *J. Cell Biol.* 157, 865-872.
91. Shental-Bechor, D., Danieli, T., **Henis, Y.I.** and Ben-Tal, N. (2002) Long range effects on the binding of the influenza HA to receptors are mediated by changes in the stability of a metastable HA conformation. *Biochim. Biophys. Acta* 1565, 81-90.
92. Yao, D., Ehrlich, M., **Henis, Y.I.** and Leof, E.B. (2002) Transforming growth factor β receptors interact with AP2 by direct binding to $\beta 2$ subunit. *Mol. Biol. Cell* 13, 4001-4012.
93. Illenberger, D., Walliser, C., Strobel, J., Gutman, O., Niv, H., Gaidzik, V., Kloog, Y., Gierschik, P. and **Henis, Y.I.** (2003) Rac2 regulation of phospholipase C- β_2 activity and mode of membrane interactions in intact cells. *J. Biol. Chem.* 278, 8645-8652.
94. Hassel, S., Schmitt, S., Hartung, A., Roth, M., Nohe, A., Petersen, N., Ehrlich, M., Henis, Y.I., Sebald, W. and Knaus, P. (2003) Initiation of Smad-dependent and Smad-independent signaling via distinct BMP-receptor complexes. *J. Bone Joint Surg. Am.* 85-A (Suppl. 3), 44-51.
95. Constantinescu, S.N., Keren, T., Russ, W.P., Ubarretxena-Belandia, I., Malka, Y., Kubatzky, K.F., Engelman, D.M., Lodish, H.F. and **Henis, Y.I.** (2003) The Epo receptor transmembrane domain mediates complex formation with viral anemic and polycythemic gp55 proteins. *J. Biol. Chem.* 278, 43755-43763.
96. Dietrich, A., Scheer, A., Illenberger, D., Kloog, Y., **Henis, Y.I.** and Gierschik, P. (2003) Studies on G protein $\alpha\beta\gamma$ heterotrimer formation reveal a putative S-farnesyl binding site in the α subunit. *Biochem. J.* 376, 449-456.
97. Lachmanovich, E., Shvartsman, D.E., Malka, Y., Botvin, C., **Henis, Y.I.** and Weiss, A.M. (2003) Co-localization analysis of complex formation among membrane proteins by computerized fluorescence microscopy: application to immunofluorescence co-patching studies. *J. Microsc.* 212, 122-131.
98. Shvartsman, D.E., Kotler, M., Tall, R.D., Roth, M.G. and **Henis, Y.I.** (2003) Differently anchored influenza hemagglutinin mutants display distinct interaction dynamics with mutual rafts. *J. Cell Biol.* 163, 879-888.

99. Rotblat, B., Prior, I.A., Muncke, C., Parton, R.G., Kloog, Y., **Henis, Y.I.** and Hancock, J.F. (2004) Three separable domains regulate GTP-dependent association of H-ras with the plasma membrane. *Mol. Cell Biol.* 24, 6799-6810.
100. Roy, S., Plowman, S., Rotblat, B., Prior, I.A., Muncke, C., Grainger, S., Parton, R.G., **Henis, Y.I.**, Kloog, Y. and Hancock, J.F. (2005) Individual palmitoyl residues serve distinct roles in H-Ras trafficking, microlocalization, and signaling. *Mol. Cell Biol.* 25, 6722-6733.
101. Kfir, S., Ehrlich, M., Goldshmid, A., Liu, X., Kloog, Y. and **Henis, Y.I.** (2005) Pathway and expression level-dependent effects of oncogenic N-Ras: p27^{Kip1} mislocalization by the Ral-GEF pathway and Erk-mediated interference with Smad signaling. *Mol. Cell Biol.* 25, 8239-8250.
102. Shvartsman, D.E., Gutman, O., Tietz, A. and **Henis, Y.I.** (2006) Cyclodextrins but not compactin inhibit the lateral diffusion of membrane proteins independent of cholesterol. *Traffic* 7, 917-926.
103. Sieber, C., Ploger, F., Schwappacher, R., Bechthold, R., Hanke, M., Kawai, S., Muraki, Y., Katsuura, M., Kimura, M., Mouler Rechtman, M., **Henis, Y.I.**, Pohl, J. and Knaus, P. (2006) Monomeric and dimeric GDF-5 show equal type I receptor binding and oligomerization capability and same biological activity. *Biol. Chem.* 387, 451-460.
104. Hartung, A., Bitton-Worms, K., Mouler Rechtman, M., Wenzel, V., Borgermann, J., Hassel, S., **Henis, Y.I.** and Knaus, P. (2006) Different routes of BMP receptor endocytosis influence BMP signaling. *Mol. Cell Biol.* 26, 7791-7805.
105. Eisenberg, S., Shvartsman, D.E., Ehrlich, M. and **Henis, Y.I.** (2006) Clustering of raft-associated proteins in the external membrane leaflet modulates internal leaflet H-Ras diffusion and signaling. *Mol. Cell Biol.* 26, 7190-7200.
106. **Henis, Y.I.**, Rotblat, B. and Kloog, Y. (2006) FRAP beam-size analysis to measure palmitoylation-dependent membrane association and microdomain partitioning of Ras proteins. *Methods* 40, 183-190.
107. Shvartsman, D.E., Donaldson, J.C., Diaz, B., Gutman, O., Martin, G.S. and **Henis, Y.I.** (2007) Src kinase activity and SH2 domain regulate the dynamics of Src association with lipid and protein targets. *J. Cell Biol.* 178, 675-686.
108. Murphy, S.J., Shapira, K.E., **Henis, Y.I.** and Leof, E.B. (2007) A unique element in the cytoplasmic tail of the type II TGFβ receptor controls basolateral delivery. *Mol. Biol. Cell* 18, 3788-3799.
109. Kalo, E., Buganim, Y., Shapira, K.E., Besserglick, H., Goldfinger, N., Weisz, L., Stambolsky, P., **Henis, Y.I.** and Rotter, V. (2007) Mutant p53 attenuates the SMAD-dependent TGF-β1 signaling pathway by repressing the expression of TGF-β receptor type II. *Mol. Cell Biol.* 27, 8228-8242.

110. Eisenberg, S. and **Henis, Y.I.** (2008) Interactions of Ras proteins with the plasma membrane and their roles in signaling. *Cell. Signal.* 20, 31-39.
111. Friedrich, R., Groffen, A.J., Connell, E., van Weering, J.R.T., Gutman, O., **Henis, Y.I.**, Davletov, B. and Asheri, U. (2008) DOC2B acts as a calcium switch and enhances vesicle fusion. *J. Neurosci.* 28, 6794-6806.
112. Eisenberg, S., Giehl, K., **Henis, Y.I.** and Ehrlich, M. (2008) Differential interference of chlorpromazine with the membrane interactions of constitutively active K-Ras and its effects on cell growth. *J. Biol. Chem.* 283, 27279-27288.
113. Malka, Y., Hornakova, T., Royer, Y., Knoops, L., Renauld, J-C., Constantinescu, S.N. and **Henis, Y.I.** (2008) Ligand-independent homomeric and heteromeric complexes between IL-2 or IL-9 receptor subunits and the γ chain. *J. Biol. Chem.* 283, 33569-33577.
114. **Henis, Y.I.**, Hancock, J.F. and Prior, I.A. (2009) Ras acylation, compartmentalization and signaling nanoclusters. *Mol. Membr. Biol.* 26, 80-92.
115. Wolfenson, H., Lubelski, A., Regev, T., Klafter, J., **Henis, Y.I.** and Geiger, B. (2009) A role for the juxtamembrane cytoplasm in the molecular dynamics of focal adhesions. *PLoS One* 4, e4304.
116. Rechtman, M.M., Nakaryakov, A., Shapira, K.E., Ehrlich, M. and **Henis, Y.I.** (2009) Different domains regulate homomeric and heteromeric complex formation among type I and type II transforming growth factor- β receptors. *J. Biol. Chem.* 284, 7843-7852.
117. Schwappacher, R., Weiske, J., Ezerski, V., Marom, B., **Henis, Y.I.**, Huber, O. and Knaus, P. (2009) Novel crosstalk to BMP signaling: cGMP-dependent kinase I modulates BMP receptor and Smad activity. *EMBO J.* 28, 1537-1550.
118. Wolfenson, H., **Henis, Y.I.**, Geiger, B. and Bershadsky, A.D. (2009) The heel and toe of the cell's foot: a multifaceted approach for understanding the structure and dynamics of focal adhesions. *Cell Motil. Cytoskeleton* 66, 1017-1029.
119. Gutman, O., Walliser, C., Piechulek, T., Gierschik, P. and **Henis, Y.I.** (2010) Differential regulation of phospholipase C- β_2 activity and membrane interaction by $G\alpha_q$, $G\beta_1\gamma_2$, and Rac2. *J. Biol. Chem.* 285, 3095-3015.
120. Sorek, N., Segev, O., Gutman, O., Bar, E., Richter, S., Poraty, L., Hirsch, J.A., **Henis, Y.I.**, Lewinsohn, E., Jurgens, G. and Yalovsky, S. (2010) An S-acylation switch of conserved G-domain cysteines is required for polarity signaling by ROP GTPases. *Curr. Biol.* 20, 914-920.
121. Wolfenson, H., Bershadsky, A., **Henis, Y.I.** and Geiger, B. (2011) Actomyosin-generated tension controls the molecular kinetics of focal adhesions. *J. Cell Sci.* 124, 1425-1432.
122. Sorek, N., Gutman, O., Bar, E., Abu-Abied, M., Feng, X., Running, M.P., Lewinsohn, E., Ori, N., Sadot, E., **Henis, Y.I.** and Yalovsky, S. (2011) Differential effects of prenylation

- and S-acylation on Type I and II ROPS membrane interaction and function. *Plant Physiol.* 155, 706-720.
123. Marom, B., Heining, E., Knaus, P. and **Henis, Y.I.** (2011) Formation of stable homomeric and transient heteromeric BMP receptor complexes regulates Smad signaling. *J. Biol. Chem.* 286, 19287-19296.
124. Ehrlich, M., Horbelt, D., Marom, B., Knaus, P. and **Henis, Y.I.** (2011) Homomeric and heteromeric complexes among TGF- β and BMP receptors and their roles in signaling. *Cell. Signal.* 23, 1424-1432.
125. Eisenberg, S., Beckett, A.J., Prior, I.A., Dekker, F.J., Hedberg, C., Waldmann, H., Ehrlich, M. and **Henis, Y.I.** (2011) Raft protein clustering alters N-Ras membrane interactions and activation pattern. *Mol. Cell Biol.* 31, 3938-3952.
126. Berkovich, R., Wolfenson, H., Eisenberg, S., Ehrlich, M., Weiss, M., Klafter, J., **Henis, Y.I.** and Urbakh, M. (2011) Accurate quantification of diffusion and binding kinetics of non-integral membrane proteins by FRAP. *Traffic* 12, 1648-1657.
127. Sorek, N., **Henis, Y.I.** and Yalovsky, S. (2011) How prenylation and S-acylation regulate subcellular targeting and function of ROP GTPases. *Plant Signal. Behav.* 6, 1026-1029.
128. Heining, E., Bhushan, R., Paarmann, P., **Henis, Y.I.** and Knaus, P. (2011) Spatial segregation of BMP/Smad signaling affects osteoblast differentiation in C2C12 cells. *PLoS One* 6, e25163.
129. Ehrlich, M., Gutman, O., Knaus, P. and **Henis, Y.I.** (2012) Oligomeric interactions of TGF- β and BMP receptors. *FEBS Lett.* 586, 1885-1896.
130. Nevo-Yassaf, I., Yaffe, Y., Asher, M., Ravid, O., Eizenberg, S., **Henis, Y. I.**, Nahmias, Y., Hirschberg, K. and Sklan, E. H. (2012) A role for TBC1D20 and Rab1 in Hepatitis C virus replication via interaction with lipid droplet-bound nonstructural protein 5A. *J. Virol.* 86, 6491-6502.
131. Shapira, K.E., Gross, A., Ehrlich, M. and **Henis, Y.I.** (2012) Coated pit-mediated endocytosis of the type I transforming growth factor- β (TGF- β) receptor depends on a di-leucine family signal and is not required for signaling. *J. Biol. Chem.* 287, 26876-26889.
132. Eisenberg, S., Laude, A.J., Beckett, A.J., Mageean, C.J., Aran, V., Hernandez-Valladares, M., **Henis, Y.I.** and Prior, I.A. (2013) The role of palmitoylation in regulating Ras localization and function. *Biochem. Soc. Trans.* 41, 79-83.
133. Tazat, K., Harsat, M., Goldshmid-Shagal, A., Ehrlich, M. and **Henis, Y.I.** (2013) Dual effects of Ral-activated pathways on p27 localization and TGF- β signaling. *Mol. Biol. Cell* 24, 1812-1824.
134. Lavelin, I., Wolfenson, H., Patla, I., **Henis, Y.I.**, Medalia, O., Volberg, T., Livne, A., Kam, Z. and Geiger, B. (2013) Differential effect of actomyosin relaxation on the dynamic properties of focal adhesion proteins. *PLoS One* 8:e73549.

135. Gottlieb-Abraham, E., Shvartsman, D.E., Donaldson, J.C., Ehrlich, M., Gutman, O., Martin, G.S. and **Henis, Y.I.** (2013) Src-mediated caveolin-1 phosphorylation affects the targeting of active Src to specific membrane sites. *Mol. Biol. Cell* 24, 3881-3895.
136. Shapira, K.E., Hirschhorn, T., Barzilay, L., Smorodinsky, N.I., **Henis, Y.I.** and Ehrlich, M. (2014) Dab2 inhibits the cholesterol-dependent activation of JNK by TGF- β . *Mol. Biol. Cell* 25, 1620-1628.
137. Burgess, A.W., **Henis, Y.I.**, Hynes, N.E., Jovin, T., Levitzki, A., Pinkas-Kramarski, R. and Yarden, Y. (2014) EGF receptor family: twisting targets for improved cancer therapies. *Growth Factors* 32, 74-81.